



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

| APPLICATION NO.  | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO.           | CONFIRMATION NO. |
|--|-------------|----------------------|-------------------------------|------------------|
| 10/643,862   | 08/19/2003  | Michael J. Pugia     | 017191.0036 (MSA-3459)        | 5515             |
| 7590<br>Bayer Healthcare LLC<br>511 Benedict Avenue<br>Tarrytown, NY 10591 |             |                      | EXAMINER<br>SOOHOO, TONY GLEN |                  |
|  |             |                      | ART UNIT                      | PAPER NUMBER     |
|  |             |                      | 1723                          |                  |
| SHORTENED STATUTORY PERIOD OF RESPONSE                                     |             | MAIL DATE            | DELIVERY MODE                 |                  |
| 3 MONTHS   |             | 02/12/2007           | PAPER                         |                  |

**Please find below and/or attached an Office communication concerning this application or proceeding.**

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

## Office Action Summary

Application No.

10/643,862

Applicant(s)

PUGIA ET AL.

Examiner

Tony G. Soohoo

Art Unit

1723

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 28 November 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-11, 16-35 and 37-43 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-11, 16-35 and 37-43 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)   | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                   | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)             |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

## DETAILED ACTION

### *Claim Rejections - 35 USC § 112*

1. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

2. Claims 1-11, 16-35, and 37-43 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. The specification does not support the term "predetermined fixed liquid volume".

3. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

4. Claims 6-20 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claims 6-20 provides for a description of the chambers or passageways having particular geometry, the claims, however, **do not positively state a manipulation step further limiting the manipulation of the method claims** which are directed to the provision of flow of fluid through of chambers of having the particular volumes or

Art Unit: 1723

passageway lengths, since the claim does not set forth any steps involved in the method/process, it is unclear what method/process applicant is intending to encompass.

A claim is indefinite where it merely recites a structural element without any active, positive steps delimiting how this structure is used or is actually practiced.

5. Claims 25-28, and 29-30, and 36 rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Apparatus claims 25-28 refer to the volume or depth of fluid during operation in comparison within the structural chamber to that of the containers, however, since the volume of the first and second liquid amounts dispensed in operation can not be positively determined, the relative size of the chambers can not be determined since the size is dependent upon an operational characteristic. "Expressions relating the apparatus to contents thereof during an intended operation are of no significance in determining patentability of the apparatus claim." *Ex parte Thibault*, 164 USPQ 666, 667 (Bd. App. 1969). "[A]pparatus claims cover what a device *is*, not what a device *does*" (emphasis in original) *Hewlett-Packard v. Bausch & Lomb Inc.* 15 USPQ2d 1525, 1528 (Fed. Cir. 1990).

With regards to claims 29 and 30, the claims point out space in the chamber relative to a flow of fluid during operation of the device and the amount to be provided by the flow. Whereby the flow of fluid is a dependent upon manipulative operation with regards to the amount fed into the chamber, and the claims are directed to an apparatus claim, the space above the level of fluid in the chambers during operation of the fluid flow does not provide a positive patentable structural limitation whereby the level of fluid causing the

Art Unit: 1723

space is directed to a method of operation and not to a structural feature in an apparatus claim.

***Claim Rejections - 35 USC § 103***

6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:


(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

7. Claims 1-4, 6-11, 16, 18-35, 37-38, 40, 42-43 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kellogg et al 6063589 in view of Koop et al US 6457854 (both previously cited)

The Kellogg et al (Kellogg) reference discloses an apparatus and method including 1<sup>st</sup> and 2<sup>nd</sup> fluid wells 601, 601 receivable to accept a 1<sup>st</sup> predetermined liquid volume whereby the liquid volume is dispensed in a dispensing step through capillary passages 602, 602, into a 1<sup>st</sup> chamber 605, 610, 606 whereby 605 is an assisting microstructure stepped wall structure to assist in mixing, as clearly seen provides a volume which is much larger than the volume dispensed through the wells and capillary 601, 602 as seen in figure 15d. See Markup on the following page(s).


U.S. Patent May 16, 2000 Sheet 50 of 111 6,063,589

**FIG. 15A**




U.S. Patent May 16, 2000 Sheet 52 of 111 6,063,589

**FIG. 15C**



U.S. Patent May 16, 2000 Sheet 53 of 111 6,063,589

**FIG. 15D**



The Kellogg (et al) reference discloses all of the recited subject matter as defined within the scope of the claims with the exception of having a further 2<sup>nd</sup> chamber of the size of the 1<sup>st</sup> chamber 606, connected to the 1<sup>st</sup> chamber 606 with at least one capillary passageway and utilizing it to provide further mixing processing of the liquids, or with three connected chambers, or utilizing two or more capillaries between the chambers, or with particular sizing of the capillary or chambers dimensions.

The reference to Koop discloses that one may provide a repeated chamber with at least two connections between the chamber to provide an added mixing effect. The Koop reference discloses an apparatus and method of use for mixing fluids including two inlets for a 1st and 2nd fluid wells to be fed into a 1st chamber at the intersection of 9,10, a second chamber through seventh at the intersection of the sinusoidal loops which are microchannel capillary passageways along the portion 8, see figure 1, which ends at an outlet chamber at 5 for further processing, whereby each loop side may be deemed as separated passageways.

It is also noted that it has been held that mere duplication of the essential working parts of a device involves only routine skill in the art. *St. Regis Paper Co. v. Bemis Co.*, 193 USPQ 8.

It is further noted that Kellogg reference 605, 610, 606 provide a mixing of the two fluids together and desires a mixing of the liquids together.

In light of the showing of the Koop references that one may utilize a use of a device with a repeated connected chambers with plural micro-passageways for added mixing effect, it is deemed that it would have been obvious to one of ordinary skill in the

art to duplicate both the mixing chamber and capillary passages in the same manner as shown by the Koop reference so as to provide an added mixing effect upon the fed liquids within the device and method of operation, since it has been held that mere duplication of the essential working parts of a device involves only routine skill in the art. *St. Regis Paper Co. v. Bemis Co.*, 193 USPQ 8.

With regards to having particular volumes, the cross sectional dimension, lengths of the passageways and chambers, a person having ordinary skill in the art in fluid processing would recognize such a size change in geometry would be a direct variable in the production of the amount of fluid which may be processed, and the residence time of processing, accordingly, it is deemed that it would have been obvious to one of ordinary skill in the art to modify the volumes, the cross sectional dimension, lengths of the passageways and chambers so as to optimize the amount of fluid processed and the residence time of interaction, since it has been held that discovering an optimum value of a result effective variable involves only routine skill in the art. *In re Boesch*, 617 F.2d 272, 205 USPQ 215 (CCPA 1980).

With regards to the number of passageways between channels, absent any unexpected results with the addition of a 3<sup>rd</sup> or more channel, it is deemed that it would have been obvious to one of ordinary skill in the art to duplicate at least another channel so that a 3<sup>rd</sup> sinusoidal pathway is provide to produce additional mixing effect since it has been held that mere duplication of the essential working parts of a device involves only routine skill in the art. *St. Regis Paper Co. v. Bemis Co.*, 193 USPQ 8.



Art Unit: 1723

With regards to the amount of level of fluid and velocity of fluid in the method claims, it is commonly known that the level of fluid in a chamber and velocity of fluid flow in a pathway is a direct effective variable in the amount of fluid processed, accordingly absent any unexpected result, it is deemed that it would have been obvious to one of ordinary skill in the art to modify flow velocity and the level of amount of fluid so that the level is of a spacing as recited in the claims so as to optimize the amount fluid that is processed.

With regards to the type of material of the passageways, the use of hydrophilic surfaces in construction of micromixers are old and well known to provide efficient fluid flow, accordingly, it is deemed that it would have been obvious to one of ordinary skill in the art to substitute for the material of the Koop (et al) reference with passages of hydrophilic surfaces so as to better supply a better flow of fluid.

8. Claims 5, 17, 37, 39, and 41 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kellogg et al 6063589 in view of Koop et al US 6457854 as applied to claims 1 and 21 respectively above, and further in view of Jakajima et al 6281254.

The Koop (et al) reference discloses all of the recited subject matter as defined within the scope of the claims with the exception of feeding the fluid in the second chamber in the form of droplets, using ramps or steps to combine the liquids, and structure which prevents premature movement of the fluids.

The Jakajima (et al) reference discloses a mixing channel or chamber 3 having steps or ramp elements 2 which assist in providing a mixing of fluids from the inlet 16

Art Unit: 1723

through the inlet chamber 14 to produce droplets at the 2<sup>nd</sup> side of ramps in the form of droplets, see figure 1, and figure 4, 5, in a controlled movement of the fluids,

In view of the teaching of the Jakajima (et al) reference, it is deemed that it would have been obvious to one of ordinary skill in the art to provide for the chambers of the Koop (et al) reference with ramps which assist in providing a mixing of fluids to produce droplets at the 2<sup>nd</sup> side of ramps in the form of droplets in a controlled movement of the fluids so as to produce a more effective emulsion of the mixed fluid.

### ***Response to Arguments***

9. Applicant's arguments file 02 OCT 2005 have been fully considered but they are not persuasive.

10. Applicant argues that the that the claims operate a batch mode as applicant discusses on pages 9-10 of applicant's remarks. In response, the issues of a discrete batch mode has not been claimed in the method step nor such feature is supported in the apparatus claims such as the provision of a structural control system and valves to produce a discrete batch flow. There is no apparent language of stopping starting or stopping the flow of liquid or materials in discrete spaced amounts into the 1<sup>st</sup> or 2<sup>nd</sup> chamber. Thus, it can not be said that the claimed method presents any batch operation. Thus such arguments presented are unpersuasive. The claim attempts to compare an operational volume of fluid provided by a method step to a structural apparatus volume of the chamber itself.

Art Unit: 1723

11. With regards to the Koop reference, Applicant's arguments with respect to claims 1 and 21 have been considered but are moot in view of the new ground(s) of rejection.

**Conclusion**

12. The prior art made of record **previously** made of record and not relied upon is considered pertinent to applicant's disclosure. Andersson et al 6919058 was previously cited and shows mixing and dispensing into a cavity 203 of sufficient volume, column

respectively.

The mixing unit of the present invention is characterized by comprising (a) the microcavity (203) with an outlet opening (223), typically in its lower part; (b) an inlet arrangement (201) linked to the microcavity (203), and (c) a mixing microconduit (202) connected to the outlet opening (223). The microcavity (203) shall have a volume sufficient to contain simultaneously the aliquots to be mixed. The inlet


16, line 7.

13. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tony G. Soohoo whose telephone number is (571) 272 1147. The examiner can normally be reached on 8AM-5PM, Tue-Fri.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wanda Walker can be reached on 571-272-1151. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 1723

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Tony G Soohoo  
Primary Examiner  
Art Unit 1723